

2012:

1. Hosseini H, Ashraf MJ, Saleh M, Nowroozzadeh MH, Nowroozzadeh B, Abtahi MB, et al. Effect of povidone-iodine concentration and exposure time on bacteria isolated from endophthalmitis cases. *J Cataract Refract Surg.* 2012;38(1):92-6.
2. Hosseini H, Lotfi M, Esfahani MH, Nassiri N, Khalili MR, Razeghinejad MR, et al. Effect of intravitreal bevacizumab on retrobulbar blood flow in injected and uninjected fellow eyes of patients with neovascular age-related macular degeneration. *Retina.* 2012;32(5):967-71.
3. Hosseini H, Nowroozzadeh MH, Salouti R, Nejabat M. Anti-VEGF therapy with bevacizumab for anterior segment eye disease. *Cornea.* 2012;31(3):322-34.
4. Katbab A, Owji SM, Eghtedari M. Morphologic changes of corneal epithelial flap: ethanol-mediated versus mechanical removal. *Ultrastruct Pathol.* 2012;36(6):400-3.
5. Mehdizadeh M, Lotfi M, Ghodduji Johari H, Ghassemifar V, Afarid M. Blood flow parameters of the central retinal and internal carotid arteries in asymmetric diabetic retinopathy. *J Ophthalmic Vis Res.* 2012;7(4):295-9.
6. Nejabat M, Khalili MR, Deghani C. Cone location and correction of keratoconus with rigid gas-permeable contact lenses. *Cont Lens Anterior Eye.* 2012;35(1):17-21.
7. Rahimi M, Ghassemifar V, Nowroozzadeh MH. Outcome of endophthalmitis treatment in a tertiary referral center in southern iran. *Middle East Afr J Ophthalmol.* 2012;19(1):107-14.
8. Rahimi M, Shahrzad SS, Banifatemi M. Comparison of intravitreal injection of bevacizumab and triamcinolone acetonide in the treatment of uveitic macular edema. *Iran J Immunol.* 2012;9(2):136-44.